Author Index Vol. 654

Abdelhamid, Z., see Chakir, S. 654(1994)61
Abdel-Rehim, M., see Yu, Z. 654(1994)221
Ackermann, R., see Pommier, F. 654(1994)35
Andreux, J.P., see Cardot, Ph.J.P. 654(1994)193
Änggård, E.E., see Nourooz-Zadeh, J. 654(1994)55
Astier, A., see Ratiney, R. 654(1994)159
Aussel, C., see Dumas, F. 654(1994)276
Bührer, M., see Lauber, R. 654(1994)69
Bui, M.H.
Simple determination of retinol, α-tocopherol and carotenoids (lutein, all-*trans*-lycopene, α- and β-carotenes) in human plasma by isocratic liquid chromatography 654(1994)129
Campíns-Falcó, P., Herráez-Hernández, R. and Sevillano-Cabeza, A.
Application of column-switching techniques to the determination of medium polarity drugs: determination of acetazolamide in urine 654(1994)85
Cardot, Ph.J.P., Elgéa, C., Guernet, M., Godet, D. and Andreux, J.P.
Size- and density-dependent elution of normal and pathological red blood cells by gravitational field-flow fractionation 654(1994)193
Chakir, S., Maurice, M.-H., Magdalou, J., Leroy, P., Dubois, N., Lapicque, F., Abdelhamid, Z. and Nicolas, A.
High-performance liquid chromatographic enantioselective assay for the measurement of ketoprofen glucuronidation by liver microsomes 654(1994)61
Chariot, P., see Ratiney, R. 654(1994)159
Chen, C.-F., see Cheng, F.-C. 654(1994)177
Cheng, F.-C., Kuo, J.-S., Chia, L.-G., Tsai, T.-H. and Chen, C.-F.
Rapid measurement of the monoamine content in small volumes of rat plasma 654(1994)177
Chia, L.-G., see Cheng, F.-C. 654(1994)177
Chrystyn, H., see Corlett, S.A. 654(1994)152
Clifford, A.J., see Ebeler, S.E. 654(1994)9
Corlett, S.A. and Chrystyn, H.
Enantiomeric separation of *R*- and *S*-ifosfamide and their determination in serum from clinical subjects 654(1994)152
Czech, J., see Leyssens, L. 654(1994)43
De Broux, S., see Dethy, J.-M. 654(1994)121
De Fusco, M., see Zucchetti, M. 654(1994)97
Dethy, J.-M., De Broux, S., Lesne, M., Longstreth, J. and Gilbert, P.
Stereoselective determination of verapamil and norverapamil by capillary electrophoresis 654(1994)121
D'Incalci, M., see Zucchetti, M. 654(1994)97
Dolovich, M.B., see Gupta, R.N. 654(1994)205
Dou, L., see Zeng, J.-n. 654(1994)231
Dubois, N., see Chakir, S. 654(1994)61
Duda, M., see Zeng, J.-n. 654(1994)231
Dumas, F., Aussel, C., Pernet, P., Martin, C. and Giboudeau, J.
Gas chromatography applied to the lactulose–mannitol intestinal permeability test 654(1994)276
Ebeler, S.E., Hinrichs, S.H., Clifford, A.J. and Shibamoto, T.
Volatile carbonyl levels in tissues of transgenic mice with nerve sheath tumors 654(1994)9
Elgéa, C., see Cardot, Ph.J.P. 654(1994)193
Ellis, P.P., see Riegel, M. 654(1994)140
Ferns, G.A., see Nourooz-Zadeh, J. 654(1994)55
Forster, L.A., see Nourooz-Zadeh, J. 654(1994)55
Foster, R.T., see Grundy, J.S. 654(1994)146
Fröhlich, A., see Zucchetti, M. 654(1994)97
Fuller, H.D., see Gupta, R.N. 654(1994)205
Gechman, M., see Webb, L.E. 654(1994)257
Giboudeau, J., see Dumas, F. 654(1994)276
Gielen, B., see Leyssens, L. 654(1994)43
Gilbert, P., see Dethy, J.-M. 654(1994)121
Godbillon, J., see Pommier, F. 654(1994)35
Godet, D., see Cardot, Ph.J.P. 654(1994)193
Gopaul, N.K., see Nourooz-Zadeh, J. 654(1994)55
Grundy, J.S., Kherani, R. and Foster, R.T.
Sensitive high-performance liquid chromatographic assay for nifedipine in human plasma utilizing ultraviolet detection 654(1994)146
Guernet, M., see Cardot, Ph.J.P. 654(1994)193
Gupta, R.N., Fuller, H.D. and Dolovich, M.B.
Optimization of a column liquid chromatographic procedure for the determination of plasma salbutamol concentration 654(1994)205
Hamilton, C.L. and Kirkwood, J.A.
Column-switching high-performance liquid chromatographic method for the determination of a thymidylate synthase inhibitor, LY231514, an investigational agent for the treatment of solid tumors, in human plasma 654(1994)297
Hendriks, L., see Leyssens, L. 654(1994)43
Herráez-Hernández, R., see Campíns-Falcó, P. 654(1994)85
Hinrichs, S.H., see Ebeler, S.E. 654(1994)9
Hirata, M., see Miyajima, K. 654(1994)165
Hirose, T., see Iwata, T. 654(1994)171
Horie, M., see Saito, K. 654(1994)270
Hulse, J.D., see Naidong, W. 654(1994)287
Iwasaki, M., see Yonekura, S. 654(1994)19
Iwata, T., Hirose, T., Nakamura, M. and Yamaguchi, M.
Determination of urinary glucuronide conjugates by high-performance liquid chromatography with pre-column fluorescence derivatization 654(1994)171
Jin, L. and Lau, C.E.
Determination of alprazolam and its major metabolites in serum microsamples by high-performance liquid chromatography and its application to pharmacokinetics in rats 654(1994)77

Author Index Vol. 654

Abdelhamid, Z., see Chakir, S. 654(1994)61
Abdel-Rehim, M., see Yu, Z. 654(1994)221
Ackermann, R., see Pommier, F. 654(1994)35
Andreux, J.P., see Cardot, Ph.J.P. 654(1994)193
Änggård, E.E., see Nourooz-Zadeh, J. 654(1994)55
Astier, A., see Ratiney, R. 654(1994)159
Aussel, C., see Dumas, F. 654(1994)276
Bührer, M., see Lauber, R. 654(1994)69
Bui, M.H.
Simple determination of retinol, α-tocopherol and carotenoids (lutein, all-*trans*-lycopene, α- and β-carotenes) in human plasma by isocratic liquid chromatography 654(1994)129
Campíns-Falcó, P., Herráez-Hernández, R. and Sevillano-Cabeza, A.
Application of column-switching techniques to the determination of medium polarity drugs: determination of acetazolamide in urine 654(1994)85
Cardot, Ph.J.P., Elgéa, C., Guernet, M., Godet, D. and Andreux, J.P.
Size- and density-dependent elution of normal and pathological red blood cells by gravitational field-flow fractionation 654(1994)193
Chakir, S., Maurice, M.-H., Magdalou, J., Leroy, P., Dubois, N., Lapicque, F., Abdelhamid, Z. and Nicolas, A.
High-performance liquid chromatographic enantioselective assay for the measurement of ketoprofen glucuronidation by liver microsomes 654(1994)61
Chariot, P., see Ratiney, R. 654(1994)159
Chen, C.-F., see Cheng, F.-C. 654(1994)177
Cheng, F.-C., Kuo, J.-S., Chia, L.-G., Tsai, T.-H. and Chen, C.-F.
Rapid measurement of the monoamine content in small volumes of rat plasma 654(1994)177
Chia, L.-G., see Cheng, F.-C. 654(1994)177
Chrystyn, H., see Corlett, S.A. 654(1994)152
Clifford, A.J., see Ebeler, S.E. 654(1994)9
Corlett, S.A. and Chrystyn, H.
Enantiomeric separation of *R*- and *S*-ifosfamide and their determination in serum from clinical subjects 654(1994)152
Czech, J., see Leyssens, L. 654(1994)43
De Broux, S., see Dethy, J.-M. 654(1994)121
De Fusco, M., see Zucchetti, M. 654(1994)97
Dethy, J.-M., De Broux, S., Lesne, M., Longstreth, J. and Gilbert, P.
Stereoselective determination of verapamil and norverapamil by capillary electrophoresis 654(1994)121
D'Incalci, M., see Zucchetti, M. 654(1994)97
Dolovich, M.B., see Gupta, R.N. 654(1994)205
Dou, L., see Zeng, J.-n. 654(1994)231
Dubois, N., see Chakir, S. 654(1994)61
Duda, M., see Zeng, J.-n. 654(1994)231
Dumas, F., Aussel, C., Pernet, P., Martin, C. and Giboudeau, J.
Gas chromatography applied to the lactulose–mannitol intestinal permeability test 654(1994)276
Ebeler, S.E., Hinrichs, S.H., Clifford, A.J. and Shibamoto, T.
Volatile carbonyl levels in tissues of transgenic mice with nerve sheath tumors 654(1994)9
Elgéa, C., see Cardot, Ph.J.P. 654(1994)193
Ellis, P.P., see Riegel, M. 654(1994)140
Ferns, G.A., see Nourooz-Zadeh, J. 654(1994)55
Forster, L.A., see Nourooz-Zadeh, J. 654(1994)55
Foster, R.T., see Grundy, J.S. 654(1994)146
Fröhlich, A., see Zucchetti, M. 654(1994)97
Fuller, H.D., see Gupta, R.N. 654(1994)205
Gechman, M., see Webb, L.E. 654(1994)257
Giboudeau, J., see Dumas, F. 654(1994)276
Gielen, B., see Leyssens, L. 654(1994)43
Gilbert, P., see Dethy, J.-M. 654(1994)121
Godbillon, J., see Pommier, F. 654(1994)35
Godet, D., see Cardot, Ph.J.P. 654(1994)193
Gopaul, N.K., see Nourooz-Zadeh, J. 654(1994)55
Grundy, J.S., Kherani, R. and Foster, R.T.
Sensitive high-performance liquid chromatographic assay for nifedipine in human plasma utilizing ultraviolet detection 654(1994)146
Guernet, M., see Cardot, Ph.J.P. 654(1994)193
Gupta, R.N., Fuller, H.D. and Dolovich, M.B.
Optimization of a column liquid chromatographic procedure for the determination of plasma salbutamol concentration 654(1994)205
Hamilton, C.L. and Kirkwood, J.A.
Column-switching high-performance liquid chromatographic method for the determination of a thymidylate synthase inhibitor, LY231514, an investigational agent for the treatment of solid tumors, in human plasma 654(1994)297
Hendriks, L., see Leyssens, L. 654(1994)43
Herráez-Hernández, R., see Campíns-Falcó, P. 654(1994)85
Hinrichs, S.H., see Ebeler, S.E. 654(1994)9
Hirata, M., see Miyajima, K. 654(1994)165
Hirose, T., see Iwata, T. 654(1994)171
Horie, M., see Saito, K. 654(1994)270
Hulse, J.D., see Naidong, W. 654(1994)287
Iwasaki, M., see Yonekura, S. 654(1994)19
Iwata, T., Hirose, T., Nakamura, M. and Yamaguchi, M.
Determination of urinary glucuronide conjugates by high-performance liquid chromatography with pre-column fluorescence derivatization 654(1994)171
Jin, L. and Lau, C.E.
Determination of alprazolam and its major metabolites in serum microsamples by high-performance liquid chromatography and its application to pharmacokinetics in rats 654(1994)77

Jones, A.
High-performance liquid chromatographic determination of iophenoxic acid in serum 654(1994)293
Kahan, B.D., see Napoli, K.L. 654(1994)111
Kai, M., see Yonekura, S. 654(1994)19
Kajita, M., Niwa, T., Maruyama, W., Nakahara, D., Takeda, N., Yoshizumi, H., Tatematsu, A., Watanabe, K., Naoi, M. and Nagatsu, T.
Endogenous synthesis of N-methylnorsalsolinol in rat brain during *in vivo* microdialysis with epinine 654(1994)263
Kherani, R., see Grundy, J.S. 654(1994)146
Kirkwood, J.A., see Hamilton, C.L. 654(1994)297
Kishimoto, H., see Sugioka, N. 654(1994)249
Klimeš, J., see Sochor, J. 654(1994)282
Konishi, M., see Ohno, M. 654(1994)213
Kosaka, H., see Miyajima, K. 654(1994)165
Krüger, C., see Schletter, J. 654(1994)25
Kuo, J.-S., see Cheng, F.-C. 654(1994)177
Lapicque, F., see Chakir, S. 654(1994)61
Lau, C.E., see Jin, L. 654(1994)77
Lauber, R., Mosimann, M., Bührer, M. and Zbinden, A.M.
Automated determination of midazolam in human plasma by high-performance liquid chromatography using column switching 654(1994)69
Lee, J.W., see Naidong, W. 654(1994)287
Leroy, P., see Chakir, S. 654(1994)61
Lesne, M., see Dethy, J.-M. 654(1994)121
Leyssens, L., Royackers, E., Gielen, B., Missotten, M., Schoofs, J., Czech, J., Noben, J.P., Hendriks, L. and Raus, J.
Metabolites of 4-chlorotestosterone acetate in cattle urine as diagnostic markers for its illegal use 654(1994)43
Lin, M., see Wu, N. 654(1994)185
Longstreth, J., see Dethy, J.-M. 654(1994)121
Lottspeich, F., see Schletter, J. 654(1994)25
Magdalou, J., see Chakir, S. 654(1994)61
Manoharan, M. and Schwille, P.O.
Measurement of ascorbic acid in human plasma and urine by high-performance liquid chromatography. Results in healthy subjects and patients with idiopathic calcium urolithiasis 654(1994)134
Martin, C., see Dumas, F. 654(1994)276
Maruyama, W., see Kajita, M. 654(1994)263
Matinier, D., see Moachon, G. 654(1994)91
Maurice, M.-H., see Chakir, S. 654(1994)61
Missotten, M., see Leyssens, L. 654(1994)43
Miyajima, K., Hirata, M., Yoshida, T., Kosaka, H. and Okayama, A.
Study on measurement of δ-aminolevulinic acid in plasma by high-performance liquid chromatography 654(1994)165
Moachon, G. and Matinier, D.
Simultaneous determination of modafinil and its acid metabolite by high-performance liquid chromatography in human plasma 654(1994)91
Moncrieff, J.
Determination of dapsone in serum and saliva using reversed-phase high-performance liquid chromatography with ultraviolet or electrochemical detection 654(1994)103
Mosimann, M., see Lauber, R. 654(1994)69
Nagatsu, T., see Kajita, M. 654(1994)263
Naidong, W., Lee, J.W. and Hulse, J.D.
Development and validation of a high-performance liquid chromatographic method for the determination of methocarbamol in human plasma 654(1994)287
Nakahara, D., see Kajita, M. 654(1994)263
Nakamura, M., see Iwata, T. 654(1994)171
Nakazawa, H., see Saito, K. 654(1994)270
Naoi, M., see Kajita, M. 654(1994)263
Napoli, K.L. and Kahan, B.D.
Sample clean-up and high-performance liquid chromatographic techniques for measurement of whole blood rapamycin concentrations 654(1994)111
Nicolas, A., see Chakir, S. 654(1994)61
Niwa, T., see Kajita, M. 654(1994)263
Noben, J.P., see Leyssens, L. 654(1994)43
Nourooz-Zadeh, J., Gopaul, N.K., Forster, L.A., Ferns, G.A. and Änggård, E.E.
Measurement of plasma probucol levels by high-performance liquid chromatography 654(1994)55
Odani, H., see Sugioka, N. 654(1994)249
Ohkura, Y., see Yonekura, S. 654(1994)19
Ohmori, S., see Otsuka, M. 654(1994)1
Ohno, M., Shiono, Y. and Konishi, M.
Simultaneous determination of dihydrocodeine and its metabolites in dog plasma by high-performance liquid chromatography with electrochemical and ultraviolet detection 654(1994)213
Ohta, T., see Sugioka, N. 654(1994)249
Okayama, A., see Miyajima, K. 654(1994)165
Otsuka, M. and Ohmori, S.
Simple and sensitive determination of 2,3-butanediol in biological samples by gas chromatography with electron-capture detection 654(1994)1
Pernet, P., see Dumas, F. 654(1994)276
Pommier, F., Ackermann, R., Sioufi, A. and Godbillon, J.
Determination of acenocoumarol in human plasma by capillary gas chromatography with mass-selective detection 654(1994)35
Ratiney, R., Astier, A. and Chariot, P.
Determination of fenoverine in tissue samples by high-performance liquid chromatography 654(1994)159
Raus, J., see Leyssens, L. 654(1994)43
Reichert, S., see Zucchetti, M. 654(1994)97
Riegel, M. and Ellis, P.P.
High-performance liquid chromatographic assay for antiinflammatory agents diclofenac and flurbiprofen in ocular fluids 654(1994)140
Royackers, E., see Leyssens, L. 654(1994)43
Saito, K., Horie, M. and Nakazawa, H.
Determination of urinary excretion of histamine and 1-methylhistamine by liquid chromatography 654(1994)270

Schletter, J., Krüger, C., Lottspeich, F. and Schütt, C. Improved method for preparation of lipopolysaccharide-binding protein from human serum by electrophoretic and chromatographic separation techniques 654(1994)25
Schoofs, J., see Leyssens, L. 654(1994)43
Schütt, C., see Schletter, J. 654(1994)25
Schwille, P.O., see Manoharan, M. 654(1994)134
Sedláček, J., see Sochor, J. 654(1994)282
Sessa, C., see Zucchetti, M. 654(1994)97
Sevillano-Cabeza, A., see Campíns-Falcó, P. 654(1994)85
Shibamoto, T., see Ebeler, S.E. 654(1994)9
Shiono, Y., see Ohno, M. 654(1994)213
Sioufi, A., see Pommier, F. 654(1994)35
Sochor, J., Klimeš, J., Zahradníček, M. and Sedláček, J. High-performance liquid chromatographic assay for ibuprofen in whole blood using solid-phase extraction 654(1994)282
Story, K., see Webb, L.E. 654(1994)257
Stuting, H.H., see Zeng, J.-n. 654(1994)231
Sugioka, N., Odani, H., Ohta, T., Kishimoto, H., Yasumura, T. and Takada, K. Determination of a new immunosuppressant, mycophenolate mofetil, and its active metabolite, mycophenolic acid, in rat and human body fluids by high-performance liquid chromatography 654(1994)249
Sweedler, J.V., see Wu, N. 654(1994)185
Takada, K., see Sugioka, N. 654(1994)249
Takeda, N., see Kajita, M. 654(1994)263
Tatematsu, A., see Kajita, M. 654(1994)263
Tsai, T.-H., see Cheng, F.-C. 654(1994)177
Watanabe, K., see Kajita, M. 654(1994)263
Webb, L.E., Gechman, M. and Story, K. Determination of L-2-oxothiazolidine-4-carboxylic acid (Procysteine®) in human plasma by high-performance liquid chromatography 654(1994)257
Westerlund, D., see Yu, Z. 654(1994)221
Wu, N., Sweedler, J.V. and Lin, M. Enhanced separation and detection of serum bilirubin species by capillary electrophoresis using a mixed anionic surfactant–protein buffer system with laser-induced fluorescence detection 654(1994)185
Yamaguchi, M., see Iwata, T. 654(1994)171
Yasumura, T., see Sugioka, N. 654(1994)249
Yonekura, S., Iwasaki, M., Kai, M. and Ohkura, Y. Determination of guanine and its nucleosides and nucleotides in human erythrocytes by high-performance liquid chromatography with postcolumn fluorescence derivatization using phenylglyoxal reagent 654(1994)19
Yoshida, T., see Miyajima, K. 654(1994)165
Yoshizumi, H., see Kajita, M. 654(1994)263
Yu, Z., Abdel-Rehim, M. and Westerlund, D. Determination of amide-type local anaesthetics by direct injection of plasma in a column-switching high-performance liquid chromatographic system using a pre-column with a semipermeable surface 654(1994)221
Zahradníček, M., see Sochor, J. 654(1994)282
Zbinden, A.M., see Lauber, R. 654(1994)69
Zeng, J.-n., Dou, L., Duda, M. and Stuting, H.H. New chiral high-performance liquid chromatographic methodology used for the pharmacokinetic evaluation of dexfenfluramine 654(1994)231
Zucchetti, M., De Fusco, M., Sessa, C., Fröhlich, A., Reichert, S. and D'Incalci, M. High-performance liquid chromatographic assay for the determination of the novel podophyllotoxin derivative dimethylaminoetoposide (NK611) in human plasma 654(1994)97

Compound Index Vol. 654

Acenocoumarol
Determination of acenocoumarol in human plasma by capillary gas chromatography with mass-selective detection 654(1994)35

Acetaldehyde
Volatile carbonyl levels in tissues of transgenic mice with nerve sheath tumors 654(1994)9

all-*trans*-Lycopene
Simple determination of retinol, α-tocopherol and carotenoids (lutein, all-*trans*-lycopene, α- and β-carotenes) in human plasma by isocratic liquid chromatography 654(1994)129

Alprazolam
Determination of alprazolam and its major metabolites in serum microsamples by high-performance liquid chromatography and its application to pharmacokinetics in rats 654(1994)77

δ-Aminolevulinic acid
Study on measurement of δ-aminolevulinic acid in plasma by high-performance liquid chromatography 654(1994)165

Androsteron-3-glucuronide
Determination of urinary glucuronide conjugates by high-performance liquid chromatography with pre-column fluorescence derivatization 654(1994)171

Ascorbic acid
Measurement of ascorbic acid in human plasma and urine by high-performance liquid chromatography 654(1994)134

Azetazolamide
Application of column-switching techniques to the determination of medium polarity drugs: determination of acetazolamide in urine 654(1994)85

Bilirubin
Enhanced separation and detection of serum bilirubin species by capillary electrophoresis using a mixed anionic surfactant–protein buffer system with laser-induced fluorescence detection 654(1994)185

Bupivacaine
Determination of amide-type local anaesthetics by direct injection of plasma in a column-switching high-performance liquid chromatographic system using a pre-column with a semipermeable surface 654(1994)221

2,3-Butanediol
Simple and sensitive determination of 2,3-butanediol in biological samples by gas chromatography with electron-capture detection 654(1994)1

Carbonyl products
Volatile carbonyl levels in tissues of transgenic mice with nerve sheath tumors 654(1994)9

Carotenes
Simple determination of retinol, α-tocopherol and carotenoids (lutein, all-*trans*-lycopene, α- and β-carotenes) in human plasma by isocratic liquid chromatography 654(1994)129

Carotenoids
Simple determination of retinol, α-tocopherol and carotenoids (lutein, all-*trans*-lycopene, α- and β-carotenes) in human plasma by isocratic liquid chromatography 654(1994)129

Catecholamines
Rapid measurement of the monoamine content in small volumes of rat plasma 654(1994)177

4-Chlorotestosterone acetate
Metabolites of 4-chlorotestosterone acetate in cattle urine as diagnostic markers for its illegal use 654(1994)43

Dapsone
Determination of dapsone in serum and saliva using reversed-phase high-performance liquid chromatography with ultraviolet or electrochemical detection 654(1994)103

Dehydroisoandrosterone-3-glucuronide
Determination of urinary glucuronide conjugates by high-performance liquid chromatography with pre-column fluorescence derivatization 654(1994)171

Dexfenfluramine
New chiral high-performance liquid chromatographic methodology used for the pharmacokinetic evaluation of dexfenfluramine 654(1994)231

Diacetyl acetoin
Simple and sensitive determination of 2,3-butanediol in biological samples by gas chromatography with electron-capture detection 654(1994)1

Diclofenac
High-performance liquid chromatographic assay for antiinflammatory agents diclofenac and flurbiprofen in ocular fluids 654(1994)140

Dihydrocodeine
Simultaneous determination of dihydrocodeine and its metabolites in dog plasma by high-performance liquid chromatography with electrochemical and ultraviolet detection 654(1994)213

Dihydrocodeine glucuronide
Simultaneous determination of dihydrocodeine and its metabolites in dog plasma by high-performance liquid chromatography with electrochemical and ultraviolet detection 654(1994)213

Dihydromorphine
Simultaneous determination of dihydrocodeine and its metabolites in dog plasma by high-performance liquid chromatography with electrochemical and ultraviolet detection 654(1994)213

Dihydronorcodeine
Simultaneous determination of dihydrocodeine and its metabolites in dog plasma by high-performance liquid chromatography with electrochemical and ultraviolet detection 654(1994)213

Drugs, medium-polarity
Application of column-switching techniques to the determination of medium polarity drugs: determination of acetazolamide in urine 654(1994)85

Estrone-3-glucuronide
Determination of urinary glucuronide conjugates by high-performance liquid chromatography with pre-column fluorescence derivatization 654(1994)171

Etiocholanorone-3-glucuronide
Determination of urinary glucuronide conjugates by high-performance liquid chromatography with pre-column fluorescence derivatization 654(1994)171

Fenfluramine
New chiral high-performance liquid chromatographic methodology used for the pharmacokinetic evaluation of dexfenfluramine 654(1994)231

Fenoverine
Determination of fenoverine in tissue samples by high-performance liquid chromatography 654(1994)159

Flurbiprofen
High-performance liquid chromatographic assay for antiinflammatory agents diclofenac and flurbiprofen in ocular fluids 654(1994)140

Formaldehyde
Volatile carbonyl levels in tissues of transgenic mice with nerve sheath tumors 654(1994)9

Guanine
Determination of guanine and its nucleosides and nucleotides in human erythrocytes by high-performance liquid chromatography with postcolumn fluorescence derivatization using phenylglyoxal reagent 654(1994)19

Guanine nucleosides
Determination of guanine and its nucleosides and nucleotides in human erythrocytes by high-performance liquid chromatography with postcolumn fluorescence derivatization using phenylglyoxal reagent 654(1994)19

Guanine nucleotides
Determination of guanine and its nucleosides and nucleotides in human erythrocytes by high-performance liquid chromatography with postcolumn fluorescence derivatization using phenylglyoxal reagent 654(1994)19

Haemoglobin
Size- and density-dependent elution of normal and pathological red blood cells by gravitational field-flow fractionation 654(1994)193

Histamine
Determination of urinary excretion of histamine and 1-methylhistamine by liquid chromatography 654(1994)270

Hydroxyalprazolam
Determination of alprazolam and its major metabolites in serum microsamples by high-performance liquid chromatography and its application to pharmacokinetics in rats 654(1994)77

Hydroxytriazolam
Determination of alprazolam and its major metabolites in serum microsamples by high-performance liquid chromatography and its application to pharmacokinetics in rats 654(1994)77

Ibuprofen
High-performance liquid chromatographic assay for ibuprofen in whole blood using solid-phase extraction 654(1994)282

Ifosfamide
Enantiomeric separation of *R*- and *S*-ifosfamide and their determination in serum from clinical subjects 654(1994)152

Iophenoxic acid
High-performance liquid chromatographic determination of iophenoxic acid in serum 654(1994)293

Ketoprofen, ketoprofen glucuronides
High-performance liquid chromatographic enantioselective assay for the measurement of ketoprofen glucuronidation by liver microsomes 654(1994)61

L-2-Oxothiazolidine-4-carboxylic acid
Determination of L-2-oxothiazolidine-4-carboxylic acid (Procysteine®) in human plasma by high-performance liquid chromatography 654(1994)257

Lactulose
Gas chromatography applied to the lactulose–mannitol intestinal permeability test 654(1994)276

Lipopolysaccharide-binding protein
Improved method for preparation of lipopolysaccharide-binding protein from human serum by electrophoretic and chromatographic separation techniques 654(1994)25

Lutein
Simple determination of retinol, α-tocopherol and carotenoids (lutein, all-*trans*-lycopene, α- and β-carotenes) in human plasma by isocratic liquid chromatography 654(1994)129

LY231514
Column-switching high-performance liquid chromatographic method for the determination of a thymidylate synthase inhibitor, LY231514, an investigational agent for the treatment of solid tumors, in human plasma 654(1994)297

Malonaldehyde
Volatile carbonyl levels in tissues of transgenic mice with nerve sheath tumors 654(1994)9

Mannitol
Gas chromatography applied to the lactulose–mannitol intestinal permeability test 654(1994)276

Methocarbamol
Development and validation of a high-performance liquid chromatographic method for the determination of methocarbamol in human plasma 654(1994)287

1-Methylhistamine
Determination of urinary excretion of histamine and 1-methylhistamine by liquid chromatography 654(1994)270

Midazolam
Automated determination of midazolam in human plasma by high-performance liquid chromatography using column switching 654(1994)69

Modafinil
Simultaneous determination of modafinil and its acid metabolite by high-performance liquid chromatography in human plasma 654(1994)91

Modafinil, acid metabolite
Simultaneous determination of modafinil and its acid metabolite by high-performance liquid chromatography in human plasma 654(1994)91

Monoamines
Rapid measurement of the monoamine content in small volumes of rat plasma 654(1994)177

Mycophenolate mofetil
Determination of a new immunosuppressant, mycophenolate mofetil, and its active metabolite, mycophenolic acid, in rat and human body fluids by high-performance liquid chromatography 654(1994)249

Mycophenolic acid
Determination of a new immunosuppressant, mycophenolate mofetil, and its active metabolite, mycophenolic acid, in rat and human body fluids by high-performance liquid chromatography 654(1994)249

N-Methylnorsalsolinol
Endogenous synthesis of N-methylnorsalsolinol in rat brain during *in vivo* microdialysis with epinine 654(1994)263

Nifedipine
Sensitive high-performance liquid chromatographic assay for nifedipine in human plasma utilizing ultraviolet detection 654(1994)146

NK611
High-performance liquid chromatographic assay for the determination of the novel podophyllotoxin derivative dimethylaminoetoposide (NK611) in human plasma 654(1994)97

Norfenfluramine
New chiral high-performance liquid chromatographic methodology used for the pharmacokinetic evaluation of dexfenfluramine 654(1994)231

Norverapamil
Stereoselective determination of verapamil and norverapamil by capillary electrophoresis 654(1994)121

Podophyllotoxin derivative
High-performance liquid chromatographic assay for the determination of the novel podophyllotoxin derivative dimethylaminoetoposide (NK611) in human plasma 654(1994)97

Probucol
Measurement of plasma probucol levels by high-performance liquid chromatography 654(1994)55

Procysteine
Determination of L-2-oxothiazolidine-4-carboxylic acid (Procysteine®) in human plasma by high-performance liquid chromatography 654(1994)257

Proteins
Improved method for preparation of lipopolysaccharide-binding protein from human serum by electrophoretic and chromatographic separation techniques 654(1994)25

Rapamycin
Sample clean-up and high-performance liquid chromatographic techniques for measurement of whole blood rapamycin concentrations 654(1994)111

Retinol
Simple determination of retinol, α-tocopherol and carotenoids (lutein, all-*trans*-lycopene, α- and β-carotenes) in human plasma by isocratic liquid chromatography 654(1994)129

Ropivacaine
Determination of amide-type local anaesthetics by direct injection of plasma in a column-switching high-performance liquid chromatographic system using a pre-column with a semipermeable surface 654(1994)221

Salbutamol
Optimization of a column liquid chromatographic procedure for the determination of plasma salbutamol concentration 654(1994)205

Serotonin
Rapid measurement of the monoamine content in small volumes of rat plasma 654(1994)177

Steroids
Determination of urinary glucuronide conjugates by high-performance liquid chromatography with pre-column fluorescence derivatization 654(1994)171

Steroids, anabolic
Metabolites of 4-chlorotestosterone acetate in cattle urine as diagnostic markers for its illegal use 654(1994)43

Testosterone-3-glucuronide
Determination of urinary glucuronide conjugates by high-performance liquid chromatography with pre-column fluorescence derivatization 654(1994)171

Thymidylate synthase inhibitor
Column-switching high-performance liquid chromatographic method for the determination of a thymidylate synthase inhibitor, LY231514, an investigational agent for the treatment of solid tumors, in human plasma 654(1994)297

α-Tocopherol
Simple determination of retinol, α-tocopherol and carotenoids (lutein, all-*trans*-lycopene, α- and β-carotenes) in human plasma by isocratic liquid chromatography 654(1994)129

Triazolam
Determination of alprazolam and its major metabolites in serum microsamples by high-performance liquid chromatography and its application to pharmacokinetics in rats 654(1994)77

Verapamil
Stereoselective determination of verapamil and norverapamil by capillary electrophoresis 654(1994)121

Vitamin C
Measurement of ascorbic acid in human plasma and urine by high-performance liquid chromatography 654(1994)134

Vitamins
Simple determination of retinol, α-tocopherol and carotenoids (lutein, all-*trans*-lycopene, α- and β-carotenes) in human plasma by isocratic liquid chromatography 654(1994)129